Ultritouch





Have you ever wished you could build a control panel to fit your workflow instead of compromising your needs to fit a panel?

Your wish is our command.




Meet Ultritouch

Ultritouch is a powerful system control panel from Ross Video that is totally customizable and has been designed around you. The panel is a 2RU rack-mountable touchscreen that builds on the functionality of traditional control products by adapting to your workflows, and it features a user interface that has more in common with a modern smartphone than a broadcast control panel. The magic of Ultritouch lies in its powerful Smart Touch capabilities. Ultritouch supports Ross Video's DashBoard platform natively, giving users unlimited flexibility to build panels that meet their working needs without any restrictions on numbers of buttons, button placement or display windows.

Smart Touch was developed to address the growing need for control surfaces that support traditional functionality but also offer greater levels of customization for the very precise and complex workflows of our most demanding customers. At its heart, Ultritouch features a full version of DashBoard – Ross Video's open control platform – which enables users to:

- Control a wide range of Ross products including production switchers, XPression graphics, camera motion systems, openGear and Ultrix/NK, among others.
- Create and import custom panels
- NDI/MPEG stream monitoring
- · Customize button, table and line mapping



Open Drawer with Advanced Status Panel:

• View status of all levels quickly

SOURCE WINDOW

Breakaway/Follow selection and routing






WINDOWS

DESTINATION WINDOW

One or more static GUIs windows on the screen to support main operation of panel (routing, MV control, monitoring, etc)

CONTROL WINDOW





MONITORING PANEL

- Resizable and repositionable video monitoring window
- Monitoring of router destinations directly on Ultritouch panel
- Requires external encoder (Newtek NDI, MPEG)
- · Monitor can be set as a window or inside a drawer

Router and Multiviewer Control

- Configured in Ultricore panel editor
- Supported applications (panel types)
 - CAT/IDX operation
 - Button per source XY panel
 - Destination follow with monitoring
 - Salvos operation & monitoring
 - Advanced breakaway operation
 - Stunning Visual Multiviewer control


Ultri

DRAWER CONTROLLERAccessible menus of dynamic selection

dynamic selection controls, operators, monitoring, and other advanced functions used to compliment the operator workflows

CARBONITE

- Dedicated UI Menus specifically for Ultritouch
- · Monitor the health and status of the Carbonite Ultra
- Take Control of all of the Aux Buses and any Switcher ME or MiniME Bus
- Complete Custom Control Shot box access with all 8 banks and 32 Marcos per bank




DB															
t=		Bank 1	Bank 2		OPEN	2 Box	4 Box	L3 Clock	DayBug	ScBug	DNut	AM OP			
		Bank 3	Bank 4		РМ ОР	SET All	SET L	SET R	Stage L	Stage R	StageAll	StgPRG	Number of running CCs		
	ĺ	Bank 5	Bank 6	Ì	Count	Breaking	Update	OTS 1	OTS 2	Break	Return	CLRXP1	0		
<u> </u>	Ì	Bank 7	Bank 8		CLRXP2	CueTria1	CueTria2	Replay1	Replay2	Next	Prev	Setup			



ACUITY

When part of a complete live event system the ability to control Acuity Aux Buses and other parts of the system including Router destinations is paramount. Previously the operators would need to have multiple Panels - One for the Production Switcher and one for the Router. Ultritouch breaks that mold and brings a new paradigm where control of all of the DashBoard connected echo system is now available.



Production Switchers

A · C · U · I · T · Y

CARBONITE: 14X6X

CARBONITE

OVERVIEW

Ultritouch is a powerful system control panel from Ross Video that is totally customizable and has been designed around you. The panels are a 2RU or 4RU rack-mountable touchscreen that builds on the functionality of traditional control products by adapting to your workflows, and it features a user interface that has more in common with a modern smartphone than a broadcast control panel. The magic of Ultritouch lies in its powerful Smart Touch capabilities. Ultritouch supports Ross Video's DashBoard platform natively, giving users unlimited flexibility to build panels that meet their working needs without any restrictions on numbers of buttons, button placement or display windows.

Smart Touch was developed to address the growing need for control surfaces that support traditional functionality but also offer greater levels of customization for the very precise and complex workflows of our most demanding customers. At its heart, Ultritouch features a full version of DashBoard – Ross Video's open control platform – which enables users to:

- Control a wide range of Ross products including production switchers, XPression graphics, Overdrive APC, openGear and Ross Routing systems, among others.
- Quickly change between panel styles and layouts, maximizing the usability of the panel and making your operations more efficient.
- Create and import custom panels
- NDI stream monitoring
- Control of 3rd party products via OGP

- Quick setup using the Ultricore soft panel wizard
- Custom panel layouts using flexible Windows and Drawers based on user preference
- Button per source, Cat/Idx, Grouping, Favorites, Advanced Statusing, Salvo operations and more
- Destination follow monitoring with video using NDI streaming direct on the panel
- A multiviewer control panel that allows for control of layouts, pips, and pip behavior.
 This graphics intensive panel simplifies use and makes it very easy to control large amounts of multiviewers from a single control surface.

Ultritouch

FEATURES

- 2RU and 4RU Touch-enabled Dashboard based RCP
- Shallow depth (2.5") with sideways connector layout (to maximize leg room in desk applications)
- Redundant Power Supply (optional)
- Integrated Speakers for monitoring (future application)
- HDMI & USB ports
- System wide discovery via Walkabout
- Dashboard based for easy & fast configuration
- Full control of most Ross Products Routers, Multi-viewers, Switchers, Graphics, APC, Processing Platforms, and more
- Dashboard tree & system management support
- · Ability to store multiple panel types with intuitive navigation based on desired workflow
- · Fast Reboot and control for mission critical operations
- · Seamlessly fits into the current Ross control ecosystem
- Backed by famous Ross support

Ultritouch-RTR Features:

- Touch-based router soft panels optimized for comprehensive and intuitive operations
- Drawer and Window creation for completely customized workflow and panel layout
- Additional Ultritouch optimized panel for enhanced menuing, status, and control
- Standardized BPS, Enhanced BPS, Monitoring, Cat/ldx panels and more
- Fast, highly visual multiviewer specific control
- Automatically retrieve databases
- Ability to support up to 25 panels per Ultrix frame, up to 100 when using Ultricore BCS

ORDERING INFORMATION

ULTRITOUCH 2 - 2RU Touchscreen control panel
ULTRITOUCH 4 - 4RU Touchscreen control panel
ULTRITOUCH-PS Optional redundant power supply


ITEM	SPECIFICATION							
Ultritouch 2								
Width	19" (48 cm)							
Depth	2.5" (6 cm)							
Height	3.5" (9 cm)							
Weight (approx.)	5.25lb (s.40 kg)							
Ultritouch 4								
Width	19" (48 cm)							
Depth	2.6" (6.5 cm)							
Height	7.0" (18 cm)							





System Connection Basics

There are many ways to build the connectivity of a routing system. Included here are some of the more common system designs that are used for building Ultrix systems. These layouts are not exhaustive, but are meant to provide guidelines to follow when configuring a system. Please contact Ross Video for more information on specific system designs.



MOTION GRAPHICS


XPRESSION | Single, Triple, UHD Flex, Prime, Go!, Designer, Developer XPRESSION CLIPS XPRESSION TESSERA XPRESSION MAPS XPRESSION TELESTRATE XPRESSION TOUCH FACTORY XPRESSION BRAND IT





ROCKET SURGERY | Graphics Creation

CREATIVE SERVICES



GRAPHITE | All-in-One Live



STUDIO IN A BOX

Production Vehicle



CONTROL SYSTEMS


OVERDRIVE | Express, Prime, Premium OVERDRIVE + GRAPHITE INCEPTION NEWS | Academic, Express, Standard, Enterprise DASHBOARD



ACUITY | Panel: A1s, A2m, A2x, A3m, A3, A4 Frame: 4RU, 8RU CARBONITE BLACK | Panel: C1, C1s, C2, C2s, C3s, C3x Frame: 2RU CARBONITE BLACK PLUS **CARBONITE BLACK PLUS 12G** CARBONITE BLACK SOLO **CARBONITE BLACK SOLO 13** CARBONITE ULTRA **ACUITY & CARBONITE IP SOLUTION**

OPENTRUCK

OPENTRUCK | Flight Case through 40-foot Truck Designs



STREAMLINE | Standard, Enterprise

CAMERAS ACID CAMERA | H200-UCHR, Z50-UCHR PIVOTCAM | PIVOTCam-20, PivotCam SE

PRODUCTION SERVICES

ROSS MOBILE PRODUCTIONS



MULTI-SCREEN IMAGE PROCESSING

ASSET MANAGEMENT

CARBONITE MOSAIC

STREAMLINE.CLOUD



CHROMA KEYING

ULTRACHROME HR





INFRASTRUCTURE

ULTRIX 12G & IP ROUTER | 16x - 144x NK ROUTER | 16x4 -144x144 OPENGEAR | Modular Signal Processing, OGX Frame MASTER CONTROL | MC1 openGear Card, MC1 Panel

ULTRITOUCH | Soft Touch Control Panel AUDIO MONITORING | MB 651, MB-652 NIELSEN | Watermarks Encoder MASTER SYNC & REFERENCE | SRG-2200, SRG-4400, ACO-4400





GATOR | 12G UHD Signal Processor RAPTOR EDGE | IP Gateway & Processor

GEARLITE | Point of Use Signal Processing

NEWT | IP Point of Use Gateway





IP TECHNOLOGY

OEM PRODUCTS | Market Ready Modules & System-on-Chip









VIDEO SERVERS, REPLAY & DELAY

ABEKAS MIRA | Replay Systems ABEKAS TRIA | Production & Clip Servers ABEKAS TRIA NEWS | News Clip Server ABEKAS AIRCLEANER | Live Events Delay



ROBOTICS

FURIO SE LIVE | Live Head, SE Dolly and SE Lift; PanBar and Joystick Controls FURIO SE STUDIO | VR100, VR600 Heads; SE & S2 Lifts; SE BlackBird; VR0 | Manual Fluid Head with Tracking CAMBOT | 520PT, 600PT, 700PT Heads; 600 BlackBird; 600XY & 700XY Free-Roaming Peds SMARTSHELL | Robotic Camera Control System





TRACKLESS VIRTUAL **UX VIRTUAL TRACKING SYSTEM FRONTIER**





Ultritouch

Ross Video has a complete range of technical services available to ensure that your Ultritouch installation is a success.

Operational Training can be provided at Ross Video, on-site or on the web. Experienced Ross operators will teach your staff to get the most out of your new system, and enhance your productions.

Commissioning is a service to help get your Ultritouch system properly configured, connected and installed. This service is performed by factory trained Ross technical staff.

Technical Training can be provided at Ross Video, on-site or over the web. Technical training will teach your engineering staff the technical details of the system you have purchased. System configuration, interfaces, databases, and routine maintenance procedures are some of the topics covered.

Ultritouch comes standard with a 1 year comprehensive warranty. **Extended Warranties** on hardware and software maintenance are available for an annual fee.

Technical advice is available on-line, by telephone, or email to Ross Video - Included for the life of your system.

Contact Us

North America: 1-844-652-0645 Global: +800 1005 0100

Email: solutions@rossvideo.com

Technical Support

Emergency: +1 613 349-0006 Email: techsupport@rossvideo.com



ROSS VIDEO

LIVE PRODUCTION EXPERTS

SOLUTIONS

Broadcast & Production

Augmented Reality & Virtual Sets

Sport & Live Events

Legislative

Mobile Production

House of Worship

Education

Corporate

PRODUCTS

Production Switchers

Motion Graphics & Clip Servers

Replay & Production Servers

Robotic & Camera Systems

Control Systems

Routing Infrastructure

Signal Processing Infrastructure

News, Live & Social Production Management

Media Asset Management

SERVICES

Creative Services

Mobile Production

© 2018 Ross Video Limited

Released in Canada.

No part of this brochure may be reproduced in any form without prior written permission from Ross Video Limited.

This brochure is furnished for informational use only. It is subject to change without notice and should not be construed as commitment by Ross Video Limited. Ross Video Limited assumes no responsibility or liability for errors or inaccuracies that may appear in this brochure.

