



Installation Guide for Linux Ubuntu

Version 3.14

Thank You for Choosing Ross

You've made a great choice. We expect you will be very happy with your purchase of Ross Technology. Our mission is to:

1. Provide a Superior Customer Experience
 - offer the best product quality and support
2. Make Cool Practical Technology
 - develop great products that customers love

Ross has become well known for the Ross Video Code of Ethics. It guides our interactions and empowers our employees. I hope you enjoy reading it below.

If anything at all with your Ross experience does not live up to your expectations be sure to reach out to us at solutions@rossvideo.com.



David Ross
CEO, Ross Video
dross@rossvideo.com

Ross Video Code of Ethics

Any company is the sum total of the people that make things happen. At Ross, our employees are a special group. Our employees truly care about doing a great job and delivering a high quality customer experience every day. This code of ethics hangs on the wall of all Ross Video locations to guide our behavior:

1. We will always act in our customers' best interest.
2. We will do our best to understand our customers' requirements.
3. We will not ship crap.
4. We will be great to work with.
5. We will do something extra for our customers, as an apology, when something big goes wrong and it's our fault.
6. We will keep our promises.
7. We will treat the competition with respect.
8. We will cooperate with and help other friendly companies.
9. We will go above and beyond in times of crisis. *If there's no one to authorize the required action in times of company or customer crisis - do what you know in your heart is right. (You may rent helicopters if necessary.)*

Ross Platform Manager · Installation Guide for Linux Ubuntu

- Ross Part Number: **7900DR-005**
- Revision: **rev 1**
- Release Date: July 9, 2026. Printed in Canada.
- Software Issue: **3.14**

The information contained in this Guide is subject to change without notice or obligation.

Copyright

© 2016 - 2026 Ross Video Limited. Ross® and any related marks are trademarks or registered trademarks of Ross Video Limited. All other trademarks are the property of their respective companies. PATENTS ISSUED and PENDING. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, mechanical, photocopying, recording or otherwise, without the prior written permission of Ross Video. While every precaution has been taken in the preparation of this document, Ross Video assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein.

Patents

Patent numbers 4,205,346; 5,115,314; 5,280,346; 5,561,404; 7,034,886; 7,508,455; 7,602,446; 7,834,886; 7,914,332; 8307284, 2039277; 1237518; 1127289 and other patents pending.

Warranty and Repair Policy

Ross Video Limited (Ross) warrants its Ross Platform Manager systems to be free from defects under normal use and service a time period of 15 months from the date of shipment:

If an item becomes defective within the warranty period Ross will repair or replace the defective item, as determined solely by Ross.

Warranty repairs will be conducted at Ross, with all shipping FOB Ross dock. If repairs are conducted at the customer site, reasonable out-of-pocket charges will apply. At the discretion of Ross, and on a temporary loan basis, plug in circuit boards or other replacement parts may be supplied free of charge while defective items undergo repair. Return packing, shipping, and special handling costs are the responsibility of the customer.

This warranty is void if products are subjected to misuse, neglect, accident, improper installation or application, or unauthorized modification.

In no event shall Ross Video Limited be liable for direct, indirect, special, incidental, or consequential damages (including loss of profit). Implied warranties, including that of merchantability and fitness for a particular purpose, are expressly limited to the duration of this warranty.

This warranty is TRANSFERABLE to subsequent owners, subject to Ross' notification of change of ownership.

Extended Warranty


For customers that require a longer warranty period, Ross offers an extended warranty plan to extend the standard warranty period by one year increments. For more information about an extended warranty for your Ross Platform Manager system, contact your regional sales manager.

Environmental Information

The equipment that you purchased required the extraction and use of natural resources for its production. It may contain hazardous substances that could impact health and the environment.

To avoid the potential release of those substances into the environment and to diminish the need for the extraction of natural resources, Ross Video encourages you to use the appropriate take-back systems. These systems will reuse or recycle most of the materials from your end-of-life equipment in an environmentally friendly and health conscious manner.

The crossed-out wheeled bin symbol invites you to use these systems.



If you need more information on the collection, reuse, and recycling systems, please contact your local or regional waste administration.

You can also contact Ross Video for more information on the environmental performances of our products.

Use of Hazardous Substances in Electrical and Electronic Products (China RoHS)

Ross Video Limited has reviewed all components and processes for compliance to:

“Management Methods for the Restriction of the Use of Hazardous Substances in Electrical and Electronic Products” also known as China RoHS.

The “Environmentally Friendly Use Period” (EFUP) and Hazardous Substance Tables have been established for all products. We are currently updating all of our Product Manuals.

The Hazardous substances tables are available on our website at:

<http://www.rossvideo.com/about-ross/company-profile/green-practices/china-rohs.html>

电器电子产品中有有害物质的使用

Ross Video Limited 按照以下的标准对所有组件和流程进行了审查：

“电器电子产品有害物质限制使用管理办法” 也被称为中国RoHS。

所有产品都具有“环保使用期限”（EFUP）和有害物质表。目前，我们正在更新我们所有的产品手册。

有害物质表在我们的网站：

<http://www.rossvideo.com/about-ross/company-profile/green-practices/china-rohs.html>

Company Address



Ross Video Limited

8 John Street
Iroquois, Ontario
Canada, K0E 1K0

Ross Video Incorporated

P.O. Box 880
Ogdensburg, New York
USA 13669-0880

General Business Office: (+1) 613 • 652 • 4886

Fax: (+1) 613 • 652 • 4425

Technical Support: (+1) 613 • 652 • 4886

After Hours Emergency: (+1) 613 • 349 • 0006

E-mail (Technical Support): techsupport@rossvideo.com

E-mail (General Information): solutions@rossvideo.com

Website: <http://www.rossvideo.com>

Contents

Introduction	1
A Word of Thanks	1-1
About This Guide	1-2
Documentation Conventions	1-2
Getting Help	1-3
System Requirements	2
Hardware	2-2
Software	2-2
Supported Ross Products	2-2
Ports	2-2
Dependencies	2-3
Automatic Installation for Linux Ubuntu	3
Before a Software Install	3-2
Downloading the Installer File	3-2
Running the Installer File	3-4
Manual Installation for Linux Ubuntu	4
Before a Software Install	4-2
Installing and Configuring PostgreSQL Database Software	4-2
Installing Ross Platform Manager	4-4
Optional Configuration	5
Setting up SSL/TLS Certificates	5-2
Configuring NDI	5-4
Installing Dependencies	6
Installing Dependencies	6-2
Upgrading RPM	7
Manually Upgrading Ross Platform Manager	7-2
Upgrading RPM Using the Automatic File Installer	7-2

Introduction

A Word of Thanks

Thank you for choosing the Ross Platform Manager as your product orchestration solution.

We are committed to providing you with the highest level of customer satisfaction possible. If, for any reason, you have questions or comments, please call Ross Video at +1-613-652-4886 or send us an e-mail at techsupport@rossvideo.com.

We hope that you visit our website www.rossvideo.com to stay up to date with ongoing software releases, join our customer forum, and learn more about the complete range of Ross Video products.

Note that software maintenance and extended warranties are available for your system to protect and extend the life of your investment. Our sales team are more than happy to provide further information on the plans available. Members of our sales team promptly respond to e-mails sent to: solutions@rossvideo.com.

Again, thank you for your purchase of Ross Platform Manager from Ross Video. We are confident of your future pleasure with your choice.

Yours Sincerely,

A handwritten signature in black ink, appearing to read 'Gabriel', with a stylized flourish at the end.

Gabriel Duschinsky
Director, Product Management - Cloud & Enterprise Management
gabriel.duschinsky@rossvideo.com

About This Guide

This guide contains the following chapters that cover the installation and configuration of Ross Platform Manager software:

- Chapter 1, “**Introduction**” summarizes the guide and provides important terms, conventions, and features.
- Chapter 2, “**System Requirements**” provides the recommended minimum hardware and software requirements to ensure that the Ross Platform Manager software functions correctly.
- Chapter 3, “**Automatic Installation for Linux Ubuntu**” provides instructions on how to automatically install Ross Platform Manager software on a Linux Ubuntu operating system.
- Chapter 4, “**Manual Installation for Linux Ubuntu**” provides instructions on how to manually install Ross Platform Manager software on a Linux Ubuntu operating system.
- Chapter 5, “**Optional Configuration**” provides instructions on optional configurations that you may choose to use depending on how you are using Ross Platform Manager.
- Chapter 6, “**Installing Dependencies**” provides instructions on how to install Ross Platform Manager software dependencies.
- Chapter 7, “**Upgrading RPM**” provides instructions on how to upgrade Ross Platform Manager software on a Linux Ubuntu operating system.

If you have questions pertaining to the operation of the Ross Video product, please contact us at the numbers listed in the section “**Contacting Technical Support**” on page 1–3. Our technical staff is always available for consultation, training, or service.

Documentation Conventions

This guide uses special text formats to identify parts of the user interface, text that a user must enter, or a sequence of menus and submenus that a user must follow to reach a particular command.

Interface Elements

Bold text identifies a user interface element such as a dialog box, a menu item, or a button. For example:

In the **Media Manager Client**, click **Channel 1** the **Channels** section.

User Entered Text

Courier text identifies text that a user must enter. For example:

In the **File Name** box, enter **Channel101.property**.

Referenced Guides

Italic text identifies the titles of referenced guides, manuals, or documents. For example:

For more information, refer to the section “**Twitter Configuration**” on page 3–6 in the *Ross Platform Manager User Guide*.

Menu Sequences

Menu arrows identify a sequence of menu items that a user must follow to reach a particular command. For example: if a procedure step contains “**Server > Save As**,” a user should click the **Server** menu and then click **Save As**.

Important Instructions

Star icons identify important instructions or features. For example:

- ★ After installing Ross Platform Manager software, you must obtain Ross Platform Manager feature licenses from Ross Video Technical Support before users can access Ross Platform Manager features.

Getting Help

To access the Ross Platform Manager Online Help system, click the **Help** icon in the main toolbar. For help about the currently open panel, click the **Help** button in a panel title bar to view a help topic about the panel.

The Online Help system contains the following navigation tabs to locate and access Online Help topics:

- **Contents** — table of contents
- **Search** — full text search
- **Favorites** — preferred information storage and access

Ross Video also supplies a print-ready PDF file of the *Ross Platform Manager User Guide* on the Ross Platform Manager Software Installation DVD.

Contacting Technical Support

Technical Support is staffed by a team of experienced specialists ready to assist you with any question or technical issue.

Ross Video has technical support specialists strategically located around the globe to ensure a prompt response to technical inquiries. Our primary technical support center is located in Ottawa, Ontario, Canada. In addition, we have offices in The United Kingdom (London), Australia (Sydney), and Singapore with satellite locations in New York City, The Netherlands, and China. As we expand our presence globally, we are constantly evaluating other key locations to have a local technical support specialist in order to better service our customers.

North America

Our North America center located in Ottawa, Ontario, Canada and is open Monday to Friday 8:30 a.m. to 6:00 p.m. EST, with 24/7/365 on-call service after hours.

Our telephone number is: +1-613-652-4886

Toll free within North America: +1 844-652-0645

EMEA

Our EMEA center is located in Buckinghamshire, England, United Kingdom and is open Monday to Friday 8:30 a.m. to 5:00 p.m. GMT. After hours support is provided by our North America location.

Our telephone number is: +44 (0)1189502446

International toll free: +800 1005 0100

Emergency After-hours Support

Our telephone number is: +1-613-349-0006

Toll free within North America: +1 844-652-0645

International toll free: +800 1005 0100

Online

E-mail: techsupport@rossvideo.com

Website: use the link <http://www.rossvideo.com/support/tech-support.html> to open a support request.

System Requirements

To ensure that Ross Platform Manager software functions correctly, verify that the computer selected to run Ross Platform Manager software meets the recommended minimum requirements described in this chapter.

This chapter discusses the following topics:

- Hardware
- Software
- Supported Ross Products
- Ports
- Dependencies

Hardware

Ross Video recommends the following minimum computer hardware configuration to run Ross Platform Manager software:

- **VM or customer-supplied machine that meets the following minimum requirements:**
- **CPU** — quad-core Intel® Core™ i7, 2GHz
- **RAM** — 8GB to 16GB (16GB recommended)
- **Hard Drive** — Minimum 64 GB free
- **LAN** — 100 Mb/s

Software

Ross Video recommends the following minimum computer software configuration to run Ross Platform Manager software:

- **Operating System:** Ubuntu 22.04.5 LTS
- **Database:**
 - › PostgreSQL 15.x
 - › MariaDB 11.4.x
 - Galera Cluster 11.4.x
- **Hardware:** VM or customer supplied machine

Supported Ross Products

Please refer to the supported version below or the Release Notes to ensure compatibility. RPM supports the following Ross products:

- XPression 10.5+
- OverDrive 18.2 +
- Carbonite
- Acuity
- SDPE Blade

Ports

As part of the Ross Platform Manager software installation process, the installer automatically creates the required firewall exceptions locally for the ports that Ross Platform Manager uses to communicate with Ross Platform Manager Servers.

- ★ If an external firewall separates your Ross Platform Manager system from your Ross Platform Manager Servers, you may need to update the port exceptions on your external firewall to enable communication with the Ross Platform Manager system.

The following table lists the ports on the Ross Platform Manager computer that Ross Platform Manager uses to communicate with Ross Platform Manager Servers:

Table 2.1 Ross Platform Manager System Ports

Port	Type	Description
80 443	HTTP/HTTPS	Ross Platform Manager requires HTTP/HTTPS ports to be open between Ross Platform Manager computers and the Ross Platform Manager computer.
22	SSH	Orchestration functionality will require Port 22 to be open via SSH on the management computer to communicate within the customer's internal network, but not to reach the Internet externally.
514	TCP/UDP	Enables Ross Platform Manager to receive product logs over Syslog.

Dependencies

Ross Platform Manager requires some dependencies to be installed to support orchestration.

Table 2.2 Ross Platform Manager Dependency Map

Name	Description	Type
PostgreSQL Version 15.x	RDBMS Data Storage for RPM.	Mandatory
Python3	Language interpreter for Ansible.	Optional, only required for orchestration.
Ansible v2.9.22	Orchestration and configuration engine.	Optional, only required for orchestration.
sshpass	ssh utilities.	Optional, only required for orchestration.

Automatic Installation for Linux Ubuntu

This chapter provides instructions for installing Ross Platform Manager software automatically on a Linux Ubuntu system.

This chapter discusses the following topics:

- Before a Software Install
- Downloading the Installer File
- Running the Installer File

Before a Software Install

Before you install Ross Platform Manager software on a Ross Platform Manager computer, perform the following tasks:

- Have a qualified Ross Video technician perform any required maintenance or repairs on the Ross Platform Manager computer.
- Exit all other Linux or Windows® programs currently running on the Ross Platform Manager computer.
- Temporarily disable antivirus software running on the Ross Platform Manager computer. Some heuristic-based intrusion detection systems prevent the installation of Ross Platform Manager software. Re-enable antivirus software after installing Ross Platform Manager software.

If you need help during this installation, Ross Video is happy to help. Here are some options to explore:

- Difficulties getting through the installation yourself? Contact Technical Support.
- Prefer to have Ross Commissioners perform this installation for you? Contact Ross Video Sales.

For More Information on...

- › contacting Ross Video Technical Support, refer to the section “**Contacting Technical Support**” on page 1–3.


Downloading the Installer File

To automatically download Ross Platform Manager and the required PostgreSQL or MariaDB software, you will need to first acquire the installer file from the Ross Video website.


- ★ To download the installer file, you must be logged in to your Ross Community account. If you do not have a Ross Community account, you must create one when prompted in order to access the installer file.

To download the installer file


1. On the Ross Platform Manager computer, exit all currently running applications.
2. In your Internet browser, go to <https://www.rossvideo.com/support/software-downloads/>.



3. In the list of products, click Ross Platform Manager.



The **Sign In** page opens.




The screenshot shows the Ross Community website's sign-in page. At the top, the navigation bar includes 'HOME', 'ROSS IDEAS', 'COMMUNITIES', 'FREELANCE', 'EVENTS', a search icon, and a 'Sign In' button. The main header features the 'ROSS COMMUNITY' logo and a 'Sign In' link. Below the header is a large banner image of a person wearing a VR headset. The central text reads 'Log in to contribute to the community and download software.' Below this is a 'Members - Login here' box containing fields for 'Email' and 'Password', a 'Login' button, and links for 'New User? Register Now!', 'Previous Ross Community User? / Password Reset', and a checkbox for 'Stay signed in for 5 days'.

4. Enter your account credentials.

5. Click **Login**.

You are signed in to your account and the **Ross Platform Manager Software Downloads** page opens.



The screenshot shows the Ross Platform Manager Software Downloads page. The navigation bar is identical to the previous page. The main header features the 'ROSS COMMUNITY' logo and a 'Ross Platform Manager Software Downloads' link. Below the header is a large banner image of a person wearing a VR headset. The central text reads 'Ross Platform Manager Software Downloads'. Below this is a section titled 'Available Downloads' with a link for 'Ross Platform Manager 3.10 Software Download'. The download information includes '16 days ago', 'Version: 3.10 File Size: 950 MB Operating System: Windows, Linux Post Date: July 8, 2025 #RossPlatformManager', and a breadcrumb trail 'Control Systems > Ross Platform Manager'. To the right of the download information is a section titled 'Add New Library Entry' with a link 'Add New Entry'. Below this is a section titled 'Quick Links' with a link 'Back to Software Downloads'.

6. Locate and click the link for the most recent release.

The page for the selected release opens.

7. Click **Download**.

The installer file downloads.

Running the Installer File

When you have downloaded the installer file, you can run it to automatically install RPM and either PostgreSQL or MariaDB, depending on which database you would prefer. Follow the appropriate procedure below for your desired database.

To run the installer file (PostgreSQL method)

1. Ensure you are logged in to a root account with sudo permissions and that you are connected to the Internet.
2. To begin the automatic install of PostgreSQL and RPM on the default port of 80, execute the following command:


```
bash
PlatformManager-PlatformManager-3.14.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
-psql
```

★ Running the above command with `--help` added on to the end will provide usage examples.

★ If you would prefer to install PostgreSQL and RPM on another port, execute the following command, replacing `-9898` with the desired port. Note that standard ports used are 80 and 8080. Your IT department can provide specific values for your own environment.

```
bash
PlatformManager-PlatformManager-3.14.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
-psql -9898
```

PostgreSQL and RPM begin to install, and progress is displayed.



```
root@ ~: /home/ubuntu# bash PlatformManager-PlatformManager-3.14.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
== Ross PlatformManager Installation ==
Started: Thu Jun 26 17:34:15 UTC 2025
Started: Thu Jun 26 17:34:11 UTC 2025
Configuration: load to /opt/rossvideo/PlatformManager ...
Database Type: psql.
HTTP Port: 80

Detected system: ubuntu 24.04 (noble)

== Checking and Installing Prerequisites ==

[#####-----] 66%
```

When indicated that the installation is complete, PostgreSQL and RPM are installed and ready for use. Note that you will need to activate your license within RPM.

To run the installer file (MariaDB method)

1. Ensure you are logged in to a root account with sudo permissions and that you are connected to the Internet.
2. To begin the automatic install of MariaDB and RPM on the default port of 80, execute the following command:

```
bash
PlatformManager-PlatformManager-3.14.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
-mariadb
```

★ Running the above command with `--help` added on to the end will provide usage examples.

★ If you would prefer to install MariaDB and RPM on another port, execute the following command, replacing `-9898` with the desired port:

```
bash
PlatformManager-PlatformManager-3.14.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
-mariadb -9898
```

MariaDB and RPM begin to install, and progress is displayed.

```

root@...:/home/ubuntu# bash PlatformManager-PlatformManager-3.10.0-SNAPSHOT-1658_20250623.1013.0a21d6_install
== Ross PlatformManager Installation ==
Started: Thu Jun 26 17:34:15 UTC 2025 ==
Started: Thu Jun 26 17:34:11 UTC 2025
Configuration:load to /opt/rossvideo/PlatformManager...
Database Type: mariadb.
HTTP Port: 80

Detected system: ubuntu 24.04 (noble)

== Checking and Installing Prerequisites ==

[#####-----] 66%

```

When indicated that the installation is complete, MariaDB and RPM are installed and ready for use. Note that you will need to activate your license within RPM.

Manual Installation for Linux Ubuntu

This chapter provides instructions for installing Ross Platform Manager software manually for the first time on a Linux Ubuntu system.

This chapter discusses the following topics:

- Before a Software Install
- Installing and Configuring PostgreSQL Database Software
- Installing Ross Platform Manager

Before a Software Install

Before you install Ross Platform Manager software on a Ross Platform Manager computer, perform the following tasks:

- Have a qualified Ross Video technician perform any required maintenance or repairs on the Ross Platform Manager computer.
- Exit all other Linux or Windows® programs currently running on the Ross Platform Manager computer.
- Temporarily disable antivirus software running on the Ross Platform Manager computer. Some heuristic-based intrusion detection systems prevent the installation of Ross Platform Manager software. Re-enable antivirus software after installing Ross Platform Manager software.

If you need help during this installation, Ross Video is happy to help. Here are some options to explore:

- Difficulties getting through the installation yourself? Contact Technical Support.
- Prefer to have Ross Commissioners perform this installation for you? Contact Ross Video Sales.

For More Information on...

- › contacting Ross Video Technical Support, refer to the section “**Contacting Technical Support**” on page 1–3.

Installing and Configuring PostgreSQL Database Software

Ross Platform Manager uses the PostgreSQL database to store and manage application data.

- ★ You must install and configure PostgreSQL database software before installing RPM.
- ★ If your environment uses a proxy for outbound Internet access, please ensure your network team allows HTTP/HTTPS access to the following endpoints:

- › apt.postgresql.org
- › www.postgresql.org

This is required for retrieving PostgreSQL packages and repository signing keys.

The steps below use RPM on Ubuntu version 22.04.

To install PostgreSQL 15.x database software on Ubuntu

Note: Each of the following commands must be entered as a single line.

1. To add the PostgreSQL repository on the operating system, do the following:

- a. Add the signing key using the following command:

```
sudo mkdir -p /etc/apt/keyrings
curl -fsSL https://www.postgresql.org/media/keys/ACCC4CF8.asc | sudo gpg
--dearmor -o
/etc/apt/keyrings/postgresql.gpg
```

- b. Set the release codename using the following command:

```
RELEASE=$(lsb_release -cs)
```

- c. Add the repository using the following command:

```
echo "deb [arch=amd64 signed-by=/etc/apt/keyrings/postgresql.gpg]
https://apt.postgresql.org/pub/repos/apt ${RELEASE}-pgdg main" | sudo tee
/etc/apt/sources.list.d/pgdg.list
```

2. Update the package lists using the following command:

```
sudo apt-get update
```

3. Install PostgreSQL v15 using the following command:

```
sudo apt-get -y install postgresql-15 postgresql-client-15
```

4. Start the PostgreSQL service using the command:

```
sudo systemctl restart postgresql
```

5. To Navigate to the PostgreSQL data directory:

```
cd /etc/postgresql/15.x/main
```

6. Open `pg_hba.conf` with a text editor, such as `nano/vi/vim`, and edit the local IPv4 connection settings in the METHOD column to “trust” so that lines 84 - 92 match the following:

```
# Database administrative login by Unix domain socket
local    all             postgres                                trust
# TYPE      DATABASE      USER      ADDRESS              METHOD
# local is for Unix domain socket connections only
local    all             all                                trust
# IPv4 local connections:
host     all             all             127.0.0.1/32         trust
host     all             all             0.0.0.0/0            trust
```

If you reach the IPv6 section you’ve scrolled down too far.

7. If using `vi` or `vim` editor, save the file using the following sequence:

- a. Press the `esc` key.
- b. Enter the command `:wq``
- c. Press `enter`.

8. Restart the `*postgresql*` service:

```
systemctl restart postgresql@15.x-main
```

9. If you want to access Postgres from a remote machine, open the firewall to accept incoming connections for port 5432:

```
firewall-cmd --zone=public --add-port=5432/tcp --permanent ; firewall-cmd
--reload
```

10. Create an RPM database using the steps below.

- a. To create an RPM database, use the following command:

```
psql -U postgres
```

- b. Create a database for the Ross platform manager, in this example named `platform_manager`:

```
CREATE DATABASE platform_manager
    LOCALE_PROVIDER = icu
    ICU_LOCALE = 'und'
    ENCODING = 'UTF8'
    TEMPLATE = template0;
```

- c. To verify that the database was created, enter:

```
postgres=# \l
```

- d. To exit enter:

```
postgres=# \q
```

Note: Upgrading Ross Platform Manager software to a new version does not require a re-installation of the PostgreSQL database software.

Installing Ross Platform Manager

After installing and configuring the PostgreSQL database software on the Ross Platform Manager computer, you can install the Ross Platform Manager software.

To install Ross Platform Manager

1. Enter the following command to install dmidecode. This is necessary for RPM to retrieve hardware serial numbers.

```
sudo apt-get install dmidecode
```

2. Create the application directory:

```
sudo mkdir /opt/platform_manager/
```

3. Copy the **PlatformManager-3.14.0-*.tar.gz** file from the commissioning package to the system. You can use FileZilla to place it into the `/opt/platform_manager/` directory.

4. Extract the file using this command:

```
sudo tar -xvf PlatformManager-3.14.0-*.tar.gz
```

5. Set the permissions on the `/opt/platform_manager` directory by enter the following command:

```
sudo chmod -R 755 /opt/platform_manager/
```

6. Run Ross Platform Manager:

```
sh Install
```

7. View Ross Platform Manager's process status by entering the following command:

```
systemctl status PlatformManager.service
```

Note: If systemctl command doesn't work first time, then issue the following command. Once executed, repeat the systemctl command above:

```
service PlatformManager stop
```

Note: You can monitor the launch process in real time by following the steps below:

```
cd /opt/platform_manager
```

```
tail -f workspace/.metadata/logs/application-yyyyymmdd. log
```

8. Access Ross Platform Manager via web browser, and enter the IP address of one of the network interfaces:

Example: `http://192.168.3.150`

Ross Platform Manager's **login page** appears:

★ If the RPM login page displays a message that says “System is in maintenance mode”, follow the procedure “To configure the database in maintenance mode” on page 4–5.

9. Log in to Ross Platform Manager using the following credentials:

Username: root

Password: password

Once Ross Platform Manager is successfully configured, change the default password.

After installing Ross Platform Manager software, you must obtain a Ross Platform Manager license from Ross Video Technical Support before users can access Ross Platform Manager features.


To configure the database in maintenance mode

1. Log in to Ross Platform Manager - Maintenance Mode using the following credentials:

Username: maintenance

Password: maintenance

2. Click the **Configuration** icon  in the top menu bar.
3. Select the **Gear** icon in the dialog box that appears.
4. Enter the **Database** tab.



Note: This will be when the database is installed locally.

5. Set the **Database Configuration** to the values configured in the **To Configure the PostgreSQL Database for Ross Platform Manager**.

Driver: PostgreSQL

URL: jdbc:postgresql://localhost/platform_manager

6. Click **OK**.

A *warning* appears to indicate that you have modified the database settings. Click **OK**.


7. Issue the following command at the Ross Platform Manager server to restart the application:

```
sudo systemctl restart PlatformManager
```

8. Access Ross Platform Manager via web browser, and enter the IP address of one of the network interfaces:

Example: `http://192.168.3.150`

Ross Platform Manager's **login page** appears:



9. Log in to Ross Platform Manager using the following credentials:

Username: `root`

Password: `password`

Once Ross Platform Manager is successfully configured, change the default password.

After installing Ross Platform Manager software, you must obtain a Ross Platform Manager license from Ross Video Technical Support before users can access Ross Platform Manager features.

Optional Configuration

This chapter provides instructions on optional configurations that you may choose to use depending on how you are using Ross Platform Manager.

This chapter discusses the following topics:

- Setting up SSL/TLS Certificates
- Configuring NDI

Setting up SSL/TLS Certificates

It is recommended that you configure web applications with HTTPs, as it is more secure, and the industry standard practice. To configure RPM for HTTPs transport, a certificate is required. Ross Platform Manager can use either a Self Signed Certificate, or a CA Signed Certificate.

To properly set up SSL/TLS certificates in order to configure RPM for HTTPs transport, follow the procedures in the following sections:

- “**Generating Certificates**” on page 5–2
- “**Configuring Ross Platform Manager with an SSL/TLS Certificate**” on page 5–2

Generating Certificates

The first step in setting up SSL/TLS certificates for RPM is to generate the certificate, and convert it to the required format. Follow the procedures in this section before continuing on to “**Configuring Ross Platform Manager with an SSL/TLS Certificate**” on page 5–2.

To generate a certificate using Java keytool

1. Navigate to the RPM directory and access “keytool” using the command:

```
cd /opt/platform_manager/jre/bin/
```

2. Give the file keytool execute permissions using the command:

```
chmod +x keytool
```

3. Begin to generate the certificate using the command:

```
./keytool -genkey -keyalg RSA -alias RPM -keystore RPM.keystore -storepass  
R0ssVid30 -validity 3800 -keysize 2048 -ext SAN=DNS:<servername>.rossvideo.com  
-dname "CN=, OU=RossVideo, O=RossVideo, L=Ottawa, ST=ON, C=CA" -noprompt
```

For the following definitions in the command, enter the appropriate info for your system:

- CN - Customer first and Last name
 - OU - Organizational Unit
 - O - Organization
 - L - Location
 - ST - State or Province
 - C - Country
4. Press **ENTER** to set the password as the same as the keystore password, or input your desired password.
The certificate has been generated.

To convert a CA signed certificate to the required format

1. Convert the CA signed certificate to PEM format using the following commands in Java keytool:

```
keytool -keystore RPM.keystore -alias RPM -genkey -keyalg RSA  
keytool -certreq -alias RPM -keystore RPM.keystore -file RPM.csr  
keytool -keystore RPM.keystore -import -alias RPM -file RPM.crt -trustcacerts
```

The CA signed certificate has been converted to the required format.

Configuring Ross Platform Manager with an SSL/TLS Certificate

Now that the certificate has been generated and converted to the required format, RPM must be configured with an SSL/TLS certificate.

To configure Ross Platform Manager with an SSL/TLS certificate

1. Navigate to the RPM install location using the command:

```
cd /opt/platform_manager/configuration
```

2. Open the **http.conf** file using the command:

```
vim http.conf
```

3. In the **http.conf** file, change lines 7-19 to the following:

```
wrapper.java.additional.50=-Dorg.eclipse.equinox.http.jetty.https.enabled=true
wrapper.java.additional.51=-Dorg.eclipse.equinox.http.jetty.https.port=443
wrapper.java.additional.52=-Dorg.eclipse.equinox.http.jetty.ssl.keystore=path_to.keystore
wrapper.java.additional.53=-Dorg.eclipse.equinox.http.jetty.ssl.password=<keystore password>
wrapper.java.additional.54=-Dorg.eclipse.equinox.http.jetty.ssl.keypassword=<keystore password>
wrapper.java.additional.55=-Dorg.eclipse.equinox.http.jetty.ssl.needclientauth=false
wrapper.java.additional.56=-Dorg.eclipse.equinox.http.jetty.ssl.wantclientauth=true
wrapper.java.additional.57=-Dorg.eclipse.equinox.http.jetty.ssl.protocol=TLS
wrapper.java.additional.58=-Dorg.eclipse.equinox.http.jetty.ssl.algorithm=RSA
wrapper.java.additional.59=-Dorg.eclipse.equinox.http.jetty.ssl.keystoretype=JKS
```

4. Save the **http.conf** file.
5. Restart Ross Platform Manager using the command:

```
sudo systemctl restart PlatformManager
```

Ross Platform Manager has been configured.

Setting up NDI for Use with HTTPs

If you will be using NDI with HTTPs, follow the procedures outlined below.

Before beginning, have both the private key and certificate (may be a .crt or .pem file) stored somewhere on your file system, and have the absolute path ready for both.

To configure the http.conf file

1. Navigate to the RPM install location using the command:

```
cd /opt/platform_manager/configuration
```

2. Open the **http.conf** file using the command:

```
vim http.conf
```

3. Add the following lines to your http.conf, replacing the ## with numbers that are not in use in the file:

```
# MediaMTX
wrapper.java.additional.##=-Dndi.webrtc.key=<path_to_key>
wrapper.java.additional.##=-Dndi.webrtc.cert=<path_to_cert>
```

4. Save the **http.conf** file.
5. Restart Ross Platform Manager using the command:

```
sudo systemctl restart PlatformManager
```

The http.conf file has been configured.

Configuring NDI

If you will be using NDI, you must configure the following to ensure your source displays correctly.

NDI™ is a trade mark of NewTek Inc. For more information about NDI™ Tools, see the NDI™ section of the NewTek website at <http://NDI.NewTek.com/>.

To configure NDI

1. Ensure that you have **libavahi-client3**, **libavahi-common3**, and **libglib2.0-0** installed. This is particularly important when running RPM inside Docker.

If these libraries are not installed, install them by running the following commands:

```
sudo apt-get update
```

```
sudo apt-get install libavahi-client3 libavahi-common3 libglib2.0-0
```

2. Ensure the RPM server machine can detect your NDI source. If it cannot, you may need to manually enter the source information in the NDI runtime configuration file at `$HOME/.ndi/ndi-config.v1.json` using the following template:

```

{
  "ndi": {
    "groups": {
      "send": "Public",
      "recv": "Public"
    },
    "machinename": "",
    "tcp": {
      "recv": {
        "enable": true
      }
    },
    "rudp": {
      "recv": {
        "enable": true
      }
    },
    "unicast": {
      "recv": {
        "enable": true
      }
    },
    "networks": {
      "ips": "x.x.x.x,",
      "discovery": ""
    },
    "adapters": {
      "allowed": []
    },
    "multicast": {
      "send": {
        "ttl": 1,
        "enable": false,
        "netmask": "255.255.0.0",
        "netprefix": "239.255.0.0"
      },
      "recv": {
        "enable": true,
        "subnets": []
      }
    }
  }
}

```


- ★ To aid discovery of external NDI streams, replace `x.x.x.x` in the `networks.ips` field with the IP address of your NDI source. Separate multiple IP addresses with commas.

3. Ensure that the following ports are opened:

```
firewall-cmd --permanent --zone=public --add-port=8889/tcp          # MediaMTX
WebRTC signaling
```

```
firewall-cmd --permanent --zone=public --add-port=8189/udp          # MediaMTX
WebRTC media
```

Additionally, the following ports may also need to be opened:

```
firewall-cmd --permanent --zone=public --add-service=mdns          # 5353/udp -
Avahi discovery
```

```
firewall-cmd --permanent --zone=public --add-port=5960-6000/tcp    # NDI source
data
```

```
firewall-cmd --permanent --zone=public --add-port=5960-6000/udp    # NDI source
data
```

```
firewall-cmd --permanent --zone=public --add-port=8554/tcp          # MediaMTX
RTSP (used for inter-node proxy)
```

4. Add the WebRTC Virtual Service to loadbalancer.

Installing Dependencies

This chapter provides instructions for installing dependencies.

This chapter discusses the following topics:

- Installing Dependencies

Installing Dependencies

Ross Platform Manager requires a number of dependencies to be installed in order to support orchestration. See below for a list of required dependencies.

Dependency	Version
Python	>=3.6
python-pip	3
Ansible	2.9.22
sshpass	1.0.9

To install Python dependency

1. Python comes pre-installed on Linux OS.

To install Python-pip dependency

1. Issue the following command:

```
sudo apt-get install python3-pip
```

To install Ansible dependency

1. Issue the following command for Ansible version 2.9.22:

```
sudo python3 -m pip install ansible==2. 9. 22
```

To install SSHPASS dependency


1. Issue the following command:

```
sudo apt-get install sshpass
```

To configure openSSH for a client setup on a remote host

1. Navigate to the Ross Platform Manager configuration settings for OpenSSH. From the upper menu, go to **Tools**  **> Configuration** and the Configuration dialog opens.

2. In the Configuration dialog menu, select **System**  **> OpenSSH**.



3. Transfer `openssh-download.zip` to the remote target.
4. Unzip the compressed file.
5. Follow the steps in the **readme** file.

Upgrading RPM

This chapter provides instructions for updating Ross Platform Manager software on a Linux Ubuntu system either manually, or by using the automatic software installer file.

This chapter discusses the following topics:

- Manually Upgrading Ross Platform Manager
- Upgrading RPM Using the Automatic File Installer

Manually Upgrading Ross Platform Manager

You can manually upgrade RPM by following the steps outlined in this section. You must have access to the RPM server, database, and the latest RPM version package.

To back up the database

1. On the database server, execute the command:

```
pg_dump -U postgres platform_manager > rpm.sql
```

To perform the upgrade

1. Upload the RPM package to /home/[user] via WinSCP or a similar process. Replace user with the user name on the server.
2. Login to the RPM server via SSH.
3. Execute the following command:

```
sudo su
tar -zcvf /home/[user]/PlatformManager_Backup2023-X-X.tar.gz /opt/PlatformManager
cp /home/[user]/PlatformManager-NEW_BUILD.tar.gz /opt/PlatformManager
cd /opt/PlatformManager
systemctl stop PlatformManager
cp -r /opt/PlatformManager/configuration/ /home/[user]/configbk/
tar -xvf PlatformManager-NEW_BUILD.tar.gz --overwrite
sh Install
```

4. Open RPM in a web browser, and start the upgrade using the prompt that appears.

★ If RPM starts in maintenance mode, you must log in using the maintenance credentials (Username: maintenance, Password: maintenance). You must then go to **Configuration > System > Database** and ensure the selected Driver matches the Database in use.

Upgrading RPM Using the Automatic File Installer

This installer file is used to automatically install RPM and either PostgreSQL or MariaDB, but it can also be used to upgrade RPM.

★ To continue on with upgrading RPM with this method, you must have the installer file downloaded. Follow the steps outlined in “**Downloading the Installer File**” on page 3–2 to ensure you are using the most up to date installer file.

★ Ensure you follow the correct procedure below for the database you are using.

To run the installer file to upgrade RPM (PostgreSQL method)

1. Ensure you are logged in to a root account with sudo permissions and that you are connected to the Internet.
2. To begin the automatic upgrade of RPM on the default port of 80, execute the following command:

```
bash
PlatformManager-PlatformManager-3.10.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
```

★ If you originally installed PostgreSQL and RPM on another port, execute the following command, replacing -9898 with the desired port:

```
bash
PlatformManager-PlatformManager-3.10.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
-9898
```

RPM begins to upgrade and a backup is created of PostgreSQL. Progress is displayed in the log.

```
root@ubuntu:~# bash PlatformManager-PlatformManager-3.10.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
== Ross PlatformManager Installation ==
Started: Thu Jun 26 17:34:15 UTC 2025
Configuration:load to /opt/rossvideo/PlatformManager ...
Database Type: psql.
HTTP Port: 80

Detected system: ubuntu 24.04 (noble)

== Checking and Installing Prerequisites ==

[#####-----] 66%
```

When indicated that it is complete, RPM is upgraded and ready for use.

- ★ If RPM starts in maintenance mode, you must log in using the maintenance credentials (Username: maintenance, Password: maintenance). You must then go to **Configuration > System > Database** and ensure the selected Driver matches the Database in use.

To run the installer file to upgrade RPM (MariaDB method)

1. Ensure you are logged in to a root account with sudo permissions and that you are connected to the Internet.
2. To begin the automatic upgrade of RPM on the default port of 80, execute the following command:

```
bash
PlatformManager-PlatformManager-3.10.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
- mariadb
```

- ★ If you originally installed MariaDB and RPM on another port, execute the following command, replacing -9898 with the desired port:

```
bash
PlatformManager-PlatformManager-3.10.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
- mariadb -9898
```

RPM begins to upgrade and a backup is created of MariaDB. Progress is displayed in the log.

```
root@ubuntu:~# bash PlatformManager-PlatformManager-3.10.0-SNAPSHOT-1658.20250623.1013.0a21d6.install
== Ross PlatformManager Installation ==
Started: Thu Jun 26 17:34:15 UTC 2025
Configuration:load to /opt/rossvideo/PlatformManager ...
Database Type: mariadb.
HTTP Port: 80

Detected system: ubuntu 24.04 (noble)

== Checking and Installing Prerequisites ==

[#####-----] 66%
```

When indicated that it is complete, RPM is upgraded and ready for use.

- ★ If RPM starts in maintenance mode, you must log in using the maintenance credentials (Username: maintenance, Password: maintenance). You must then go to **Configuration > System > Database** and ensure the selected Driver matches the Database in use.

